

pH

採水日	地点									
	B-6	B-7	B-9	B-11	No.6	No.7	B-3	B-No.2	西街区北側	西街区南側
2024/10/15	7.5	7.1	7.1	7.1	6.8	7.6	-	-	-	-
2024/9/17	7.4	7.1	7.2	7.1	7.3	7.4	-	-	-	-
2024/8/19	7.5	7.2	7.3	7.4	6.7	6.9	-	-	-	-
2024/7/16	7.2	7.1	7.2	7.2	6.7	6.9	-	-	-	-
2024/6/17	7.3	7.1	7.2	7.2	6.8	7.2	-	-	-	-
2024/5/27	7.3	7.1	7.2	7.1	7.1	7.0	-	-	-	-
2024/4/15	7.5	7.4	7.5	7.4	7.4	7.5	-	-	-	-
2024/3/11	7.6	7.5	7.5	7.4	7.5	7.5	7.1	7.4	-	-
2024/2/13	7.8	7.8	7.8	7.7	7.3	7.5	7.7	7.8	-	-
2024/1/9	7.7	7.6	7.7	7.7	7.6	7.4	7.6	7.4	-	-
2023/12/11	7.5	7.4	7.5	7.4	7.4	7.6	7.0	7.3	-	-
2023/11/13	7.3	7.2	7.3	7.3	7.1	7.3	7.0	7.0	-	-
2023/10/10	7.4	7.2	7.3	7.3	7.2	7.3	7.2	7.0	-	-
2023/9/11	7.3	7.1	7.1	7.2	7.1	7.1	7.1	7.0	-	-
2023/8/7	7.0	7.0	7.0	7.0	6.9	7.0	7.0	7.1	-	-
2023/7/10	7.3	7.1	7.3	7.2	7.2	7.2	7.1	7.1	-	-
2023/6/16	7.4	7.3	7.4	7.3	7.2	7.3	7.5	7.2	-	-
2023/5/17	7.7	7.6	7.7	7.6	7.2	7.8	7.6	7.1	-	-
2023/4/17	7.4	7.3	7.4	7.3	-	-	7.3	7.4	-	-
2023/3/14	6.7	-	6.8	6.8	-	-	6.9	7.0	7.0	7.1
2023/2/13	7.1	-	7.2	7.2	-	-	7.1	7.1	7.2	7.2
2023/1/10	7.2	-	7.3	7.1	-	-	7.1	7.4	7.2	7.2
2022/12/12	7.1	-	7.1	7.0	-	-	7.0	7.1	7.2	7.2
2022/11/14	7.1	-	7.1	7.1	-	-	7.0	7.0	7.1	7.1
2022/10/11	7.2	-	7.1	7.2	-	-	7.0	7.1	7.2	7.2
2022/9/12	7.2	-	7.2	7.2	-	-	7.1	7.1	7.2	7.2
2022/8/8	7.2	-	7.2	7.3	-	-	7.2	7.0	7.2	7.3
2022/7/11	7.2	-	7.1	7.2	-	-	7.0	7.1	7.1	7.2
2022/6/13	7.1	-	7.1	7.1	-	-	7.1	7.0	7.2	7.2
2022/5/10	7.1	-	7.2	7.1	-	-	7.1	7.1	7.1	7.1
2022/4/18	7.1	-	7.0	7.1	-	-	7.1	7.3	7.1	7.1
2022/3/14	7.4	-	7.3	7.3	-	-	7.3	7.4	7.4	7.4
2022/2/14	7.3	-	7.4	7.3	-	-	7.2	7.2	7.4	7.4
2022/1/11	7.3	-	7.3	7.3	-	-	7.2	7.2	7.4	7.5
2021/12/13	7.4	-	7.4	7.3	-	-	7.3	7.3	7.4	7.3
2021/11/8	7.3	-	7.3	7.3	-	-	7.2	7.2	7.3	7.4
2021/10/11	7.3	-	7.3	7.2	-	-	7.2	7.1	7.3	7.2
2021/9/13	6.9	-	7.2	7.2	-	-	7.1	6.9	7.3	7.1
2021/8/10	7.0	-	7.2	7.1	-	-	7.0	7.0	7.1	7.0
2021/7/12	7.4	-	7.5	7.6	-	-	7.3	7.3	7.3	7.4
2021/6/14	7.0	-	7.2	7.2	-	-	7.1	7.1	7.2	7.2
2021/5/10	7.1	-	7.2	7.1	-	-	7.0	7.1	7.1	7.1
2021/4/19	7.2	-	7.2	7.1	-	-	7.2	7.2	7.2	7.2
2021/3/8	7.1	-	7.1	7.1	-	-	7.0	7.2	7.1	7.1
2021/2/8	7.0	-	7.2	7.0	-	-	7.0	7.2	7.1	7.1
2021/1/12	7.0	-	7.0	6.9	-	-	6.8	6.9	7.0	7.1
2020/12/14	7.1	-	7.0	7.1	-	-	6.9	7.0	7.0	7.2
2020/11/9	7.3	-	7.3	7.4	-	-	7.2	7.4	7.4	7.5

採水日	地点									
	B-6	B-7	B-9	B-11	No.6	No.7	B-3	B-No.2	西街区北側	西街区南側
2020/10/12	7.1	-	7.3	7.2	-	-	7.1	7.1	7.7	7.3
2020/9/14	7.4	-	7.4	7.3	-	-	7.1	7.1	7.8	7.7
2020/8/3	7.4	-	7.3	7.3	-	-	7.2	7.2	7.4	7.6
2020/7/13	7.4	-	7.1	7.2	-	-	7.1	7.2	7.3	7.2
2020/6/8	7.4	-	7.4	7.3	-	-	7.2	7.3	7.3	7.3
2020/5/12	7.3	-	7.4	7.3	-	-	7.2	7.3	7.2	7.4
2020/4/20	7.2	-	7.3	7.4	-	-	7.1	7.2	7.0	6.7
2020/3/16	7.4	-	7.4	7.4	-	-	7.3	7.2	7.0	7.0
2020/2/17	7.4	-	7.4	7.3	-	-	7.3	7.2	6.9	7.0
2020/1/14	7.4	-	7.4	7.3	-	-	7.2	7.2	(注3)-	6.9
2019/12/9	7.4	-	7.3	7.3	-	-	7.1	7.3	(注2)6.6	6.9
2019/11/11	7.3	-	7.4	7.2	-	-	7.1	7.3	6.6	6.9
2019/10/15	7.1	-	7.1	7.0	-	-	7.0	7.0	6.6	6.8
2019/9/17	7.1	-	7.1	7.1	-	-	7.1	7.0	6.6	6.8
2019/8/5	7.1	-	7.2	7.2	-	-	7.3	7.0	6.6	6.7
2019/7/8	7.4	-	7.2	7.1	-	-	7.3	7.4	6.7	6.7
2019/6/10	6.9	-	6.9	6.8	-	-	6.8	6.7	6.7	6.6
2019/5/13	7.1	-	7.1	7.0	-	-	6.8	6.9	6.7	6.9
2019/4/15	6.8	-	6.9	6.7	-	-	6.6	6.9	6.8	6.8
2019/3/11	7.0	-	7.0	6.9	-	-	7.0	7.2	6.8	6.7
2019/2/12	6.9	-	6.9	6.8	-	-	7.0	6.9	6.8	6.8
2019/1/15	7.3	-	7.6	7.3	-	-	7.1	7.2	7.1	6.8
2018/12/10	7.2	-	7.2	7.1	-	-	7.0	7.0	7.1	6.9
2018/11/12	6.8	-	6.7	6.8	-	-	6.9	6.7	7.0	6.8
2018/10/9	6.6	-	6.5	6.6	-	-	6.5	6.6	6.9	6.8
2018/9/10	6.4	-	6.3	6.2	-	-	6.2	6.2	6.7	7.0
2018/8/6	6.7	-	6.7	6.7	-	-	6.5	6.5	6.8	6.9
2018/7/9	6.6	-	6.7	6.6	-	-	6.5	6.5	6.9	6.9
2018/6/11	7.0	-	7.1	7.1	-	-	6.9	7.0	6.9	6.5
2018/5/14	7.0	-	7.1	7.1	-	-	6.9	7.0	6.1	6.8
2018/4/16	7.2	-	7.2	7.2	-	-	6.9	7.3	6.6	6.8
2018/3/12	7.3	-	7.3	7.3	-	-	7.1	7.3	6.4	(注1)-
2018/2/13	7.3	-	7.3	7.2	-	-	6.9	7.2	6.1	6.5
2018/1/23	7.2	-	7.2	7.3	-	-	6.8	7.1	6.5	6.5
2017/12/11	7.1	-	7.1	7.1	-	-	6.3	7.0	6.9	7.0
2017/11/13	6.9	-	7.1	7.1	-	-	6.6	7.0	-	-
2017/10/10	7.0	-	7.0	7.0	-	-	6.8	-	-	-
2017/9/11	7.0	-	7.1	6.9	-	-	6.8	-	-	-
2017/8/7	7.0	-	7.0	6.9	-	-	6.8	-	-	-
2017/7/10	7.3	-	7.3	7.2	-	-	7.2	-	-	-

※「西街区北側・南側」の調査は2023年3月で終了しました。

※「西街区北側・南側」は、2017年12月～2020年11月は東急株式会社、2020年12月以降は三島市が調査を実施していました。

※「No.6・No.7」は、2023年5月～2024年3月は再開発組合、2024年4月以降は事業関係者が調査を実施しています。

※「B-3」「B-No.2」の調査は2024年3月で終了しました。

(注1)「西街区南側」の2018年3月12日の値について、調査機器の故障により欠測となっています。

(注2)「西街区北側」の2019年12月の値について、調査機器故障のため12月2日の値を記載しています。

(注3)「西街区北側」の2020年1月14日の値について、調査機器の故障により欠測となっています。